





INSTALLATION MANUAL


PERFORMANCE SPLITTER FOR OE BUMPER PART # AD : 1117DNTUF024A31



READ CAREFULLY BEFORE
INSTALLATION



TOOLS




CHECK LIST

*ALREADY PRE-INSTALLED ON THE PART


| ITEM | DESCRIPTION | DRAWING | AMOUNT |
|------|-----------------------|---------|---------------|
| A | *DOUBLE SIDED TAPE | | PRE-INSTALLED |
| B | GREASE PENCIL | | 1 PC |
| C | POLYURETHANE ADHESIVE | | 1 PC |




1 CLEAN



2 PRE-MOUNT




3 ALING & CENTER




4 MARK


HASH MARKS



5 REMOVE





6 CLEAN









7 PEEL



8 CLEAN ADHESIVE CHANNEL




9 POLYURETHANE ADHESIVE






INSTALLATION MANUAL


10 PLACE



11 CENTER




12 REMOVER LINER




13 PRESS


A full surface contact between tape and substrate is important for good adhesion performance. Contact is achieved by applying pressure. In practice a pressure between 40 and 50 N/cm² is usually needed and an application temperature at or above 16 °C or 60 °F is also necessary. During application, the vehicle, add on parts and tape must be at a similar temperature.



14 CLEAN



15 INSTALLED PART





Official
Licensed
Product

Mustang Air Curtains, Hood Vents, Side Scoops & Louvers By Air Design USA LLC

LIMITED WARRANTY

All Ford part numbers provided by AIR DESIGN USA LLC are warranted to be from defects in materials or workmanship on products properly installed per the installation instructions provided with the product. This warranty covers repair or replacement of any defective product at no charge during the applicable warranty period listed below. Labor for replacement or service of defective product is not paid or reimbursed by AIR DESIGN USA LLC.

| WARRANTY PERIOD | | |
|--|--|---|
| | USA | Outside USA |
| Product which appears on New Vehicle Monroney Label (window stickers) | Coverage which matches new vehicle warranty--- Ford - 3 years or 36,000 miles whichever comes first; Lincoln 4 years or 50,000 miles whichever comes first | Coverage which matches new vehicle warranty--- Ford - 3 years or 60,000 kilometers whichever comes first; Lincoln 4 years or 80,000 km whichever comes first |
| Part purchased and installed during or after the original vehicle warranty | Whichever of the following options which provides the greater benefit to the customer: 1) 2 years / unlimited miles or 2) The remainder of the new vehicle warranty | Whichever of the following options which provides the greater benefit to the customer: 1) 2 years / unlimited kilometers or 2) The remainder of the new vehicle warranty |

This limited warranty does not cover any damage, defect or malfunction caused by misuse, abuse, accident, improper installation, modification or improper or lack of maintenance. Incidental and consequential damages are not recoverable under this warranty. This warranty offers you specific legal rights. You may have additional or other rights as which vary from state to state or province to province.

If you experience a warranty issue with this product please visit your Ford dealer. If the repair is covered by the warranty above and completed by the dealership, labor is also covered by Ford -- Ford Warranty and Policy -- Section 3

Note to dealer:

Ford dealers should contact Air Design USA LLC by phone at: **+1 (760) 435 0095** and ask to speak to the warranty administrator or by email to: **billy@airdesignusa.com**