



SPORT QUARTER WINDOW LOUVERS

(2024+ MUSTANG - EXCLUDING CONVERTIBLE)

INSTALLATION INSTRUCTIONS

CONTENTS

- (1) LH Window Louver
- (1) RH Window Louver
- (1) Roll of Double Sided Tape
- (4) Adhesion Promoter Prep Pads
- (4) Alcohol Prep Pads


TOOLS REQUIRED

- Window Cleaner
- Microfiber Cloth

**STEP 1**

Clean the window louver outer perimeter using (1) alcohol prep pad, and allow to fully dry. Then, clean the window louver outer perimeter using (1) adhesion promoter prep pad, and allow to fully dry.

Apply the included double sided tape onto the perimeter of the window louver. Firmly press the tape into place to ensure proper adhesion.

**STEP 2**

Clean the entire quarter window with window cleaner and a microfiber cloth. Allow the window to fully dry. Then, clean the outer perimeter of the window using (1) alcohol prep pad and allow to fully dry. Then, clean the outer perimeter of the window using (1) adhesion promoter prep pad and allow to fully dry.



STEP 3

Test fit the quarter window louver to the vehicle before removing the tape backing.

Once familiar with fitment, peel the red tape backing and firmly press the louver to the quarter window. Apply firm and even pressure to ensure proper adhesion.

Repeat steps 1-3 for the remaining window louver. Installation is now complete.