

CXR SERIES LED HYBRID HEADLIGHTS

(2015-2017 MUSTANG)

(2018-2022 MUSTANG GT350/GT500)

INSTALLATION INSTRUCTIONS

CONTENTS

(1) LH LED Headlight
(1) RH LED Headlight

TOOLS REQUIRED

5.5mm, 8mm, 10mm, 13mm
Sockets
Ratchet
Panel Removal Tool

STEP 1




Remove the (8) clips securing the plastic radiator cover to the radiator support and remove it from the vehicle.

STEP 2



Remove the (6) 8mm and (2) 5.5mm bolts securing the bumper cover to the radiator support.

STEP 3



Support the front of the vehicle to access the bumper splash shield.


Note: There are two versions of the splash shield. Both are attached to similar locations.

STEP 4



On each side of the bumper, remove the plastic clips holding the fender liner to the bumper.

STEP 5




Fold back the fender liner so that you can access the (1) bolt that holds the bumper to the fender on each side. Once removed, firmly pull the sides of the bumper away from the fender.

STEP 6



With the splash shield pulled back, you can access the plugs for the turn signals and fog lights. Unplug the lighting connectors, and then remove the bumper from the vehicle.

STEP 7



Remove (1) 13mm bolt and (2) 10mm bolts from the headlight assembly. Then, remove the assembly from the vehicle mounting point.

STEP 8



Unplug the vehicle wiring harness from the headlight assembly.

STEP 9



Plug the new headlight into the vehicle wiring harness. Then, secure the new headlight into the vehicle mounting points re-using the original hardware.

STEP 10



Re-install the bumper to the vehicle following steps 1-6 in reverse order.

Installation is now complete.