

# LED SIDE MARKERS

(2015-2025+ MUSTANG)

---

## INSTALLATION INSTRUCTIONS

### CONTENTS

---

(1) LH Sidemarker  
(1) RH Sidemarker

### TOOLS REQUIRED

---

Pliers

**STEP 1**



From under the rear bumper, locate the vehicle sidemarker assembly. Reach between the bumper support brace and press the retaining tab on the sidemarker, press towards the inside of the light assembly. Use the new sidemarker assembly as a reference. The front edge of the sidemarker will pop out of the bumper.

**STEP 2**



Press the gray electrical connector tab to disconnect the bulb socket from the vehicle harness.



**STEP 3**

Turn the bulb socket counter-clockwise 90 degrees, and then pull the socket from the light housing. Remove the light bulb from the light socket.



**STEP 4**

Plug in the LED sidemarker bulb connector into the bulb socket, and then plug the socket into the vehicle harness. Test the sidemarker for functionality. If the light does not power on with the headlights on, unplug the bulb connector from the bulb socket and turn the connector 180 degrees and re-test.

**STEP 5**



Tuck the bulb connector harness into the light assembly, and then turn the bulb socket 90 degrees to lock the bulb socket in the light housing. Using pliers may be necessary to fully seat the bulb socket in the housing.

Plug in the vehicle harness into the bulb socket.

**STEP 6**



Fit the rear of the sidemarker assembly into the bumper, then press the front into the bumper until fully seated.

Repeat Steps 1-6 for the remaining sidemarker assembly.

Installation is now complete.